

2026

nylon



CARPET TILES



+50

Design

Catalogue



- *Photos on the shade card are only showing design / patterns.*
- *The color of the sample pasted is only showing part of the actual carpet.*



022 D. Grey




025 Mustard



023 Rust



026 Brown



024 Purple






021 Grey

S.No.	Name	EDEN
1	Construction	Level Loop Plain
2	Yarn Type	BCF
3	Fibre Composition	100% Nylon (PA 6)
4	Dye Method	Solution Dye
5	Machine Gauge	1/10th
6	Pile Height ($\pm 5\%$)	3 mm
7	Tufted Pile Weight ($\pm 5\%$)	500 gsm
8	Total Thickness ($\pm 5\%$)	7 mm
9	Total Weight ($\pm 5\%$)	Cushion - 3850 gsm
10	Primary Backing	Non Woven
11	Secondary Backing	Cushion
12	Tile Size (CM)	50 cm x 50 cm
13	Tiles per Box	Cushion - 20 pcs.
14	Area per Box (SQM)	Cushion - 05 sqm



Recommended Installation :






- *Photos on the shade card are only showing design / patterns.*
- *The color of the sample pasted is only showing part of the actual carpet.*



7001 Slate



7002 Graphite



7006 Desert



7004 Blossom



7003 Basalt



7005 Cobalt


S.No.	Name	ZEST
1	Construction	Level Loop Plain
2	Yarn Type	BCF
3	Fibre Composition	100% Nylon (PA 6)
4	Dye Method	Solution Dye
5	Machine Gauge	1/10th
6	Pile Height ($\pm 5\%$)	3 mm
7	Tufted Pile Weight ($\pm 5\%$)	500 gsm
8	Total Thickness ($\pm 5\%$)	7 mm
9	Total Weight ($\pm 5\%$)	Cushion - 3850 gsm
10	Primary Backing	Non Woven
11	Secondary Backing	Cushion
12	Tile Size (CM)	50 cm x 50 cm
13	Tiles per Box	Cushion - 20 pcs.
14	Area per Box (SQM)	Cushion - 05 sqm



Recommended Installation :




Quarter
Turned



Horizontal



7511 SLATE



7512 GRAPHITE




7513 LIVID




7514 GREIGE




- *Photos on the shade card are only showing design / patterns.*
- *The color of the sample pasted is only showing part of the actual carpet.*



7511 SLATE



7512 GRAPHITE






7513 LIVID



7514 GREIGE



7514 GREIGE



7513 LIVID

SPECIFICATIONS

BLISS

S.No.	Product Name	1/12th Carpet Tiles-Graphics
1	Construction	Multi-Level Scroll Loop
2	Yarn Type	BCF
3	Fibre Composition	100% Nylon (PA 6)
4	Dye Method	Solution Dyed
5	Machine Gauge	1/12th
6	Pile Height (±5%)	2-4 mm
7	Tufted Pile Weight (±5%)	550 gsm
8	Total Thickness (±5%)	08 mm
9	Total Weight (±5%)	Cushion - 3950 gsm
10	Primary Backing	Non Woven
11	Secondary Backing	Cushion
12	Tile Size (CM)	50 cm x 50 cm
13	Tiles per Box	Cushion - 20 pcs.
14	Area per Box (SQM)	Cushion - 05 sqm
b) Performance Specifications		
I)	Flammability	ASTM D 2859-06
II	Colour Fastness	AATCC 16:3:2020
III	Dimensional Stability	IS 2977:1989
IV	Static Propensity (Anti-Static)	EN 1149-1
V	Smoke Density	ASTM E 662
VI	Sound Absorption	ASTM 423C



Antistatic




Reduced
Flamability

Recommended Installation :




Quarter
Turned




Horizontal



7521 SLATE



7522 GRAPHITE



7523 INDIGO



7524 GREIGE


- *Photos on the shade card are only showing design / patterns.*
- *The color of the sample pasted is only showing part of the actual carpet.*



7521 SLATE



7522 GRAPHITE





7523 INDIGO



7524 GREIGE

SPECIFICATIONS



S.No.	Product Name	1/12th Carpet Tiles-Graphics
1	Construction	Multi-Level Scroll Loop
2	Yarn Type	BCF
3	Fibre Composition	100% Nylon (PA 6)
4	Dye Method	Solution Dyed
5	Machine Gauge	1/12th
6	Pile Height (±5%)	2-4 mm
7	Tufted Pile Weight (±5%)	550 gsm
8	Total Thickness (±5%)	08 mm
9	Total Weight (±5%)	Cushion - 3950 gsm
10	Primary Backing	Non Woven
11	Secondary Backing	Cushion
12	Tile Size (CM)	50 cm x 50 cm
13	Tiles per Box	Cushion - 20 pcs.
14	Area per Box (SQM)	Cushion - 05 sqm
b) Performance Specifications		
I)	Flammability	ASTM D 2859-06
II	Colour Fastness	AATCC 16:3:2020
III	Dimensional Stability	IS 2977:1989
IV	Static Propensity (Anti-Static)	EN 1149-1
V	Smoke Density	ASTM E 662
VI	Sound Absorption	ASTM 423C



Antistatic




Reduced
Flamability

Recommended Installation :




Quarter
Turned



Horizontal




7501 Grey



7502 Black




7503 Blue




7504 Beige




7501 Grey



7502 Black



7503 Blue



7504 Beige


SPECIFICATIONS



S.No.	Product Name	1/12th Carpet Tiles-Graphics
1	Construction	Multi-Level Scroll Loop
2	Yarn Type	BCF
3	Fibre Composition	100% Nylon (PA 6)
4	Dye Method	Solution Dyed
5	Machine Gauge	1/12th
6	Pile Height (±5%)	2-4 mm
7	Tufted Pile Weight (±5%)	550 gsm
8	Total Thickness (±5%)	08 mm
9	Total Weight (±5%)	Cushion - 3950 gsm
10	Primary Backing	Non Woven
11	Secondary Backing	Cushion
12	Tile Size (CM)	50 cm x 50 cm
13	Tiles per Box	Cushion - 20 pcs.
14	Area per Box (SQM)	Cushion - 05 sqm
b) Performance Specifications		
I)	Flammability	ASTM D 2859-06
II	Colour Fastness	AATCC 16:3:2020
III	Dimensional Stability	IS 2977:1989
IV	Static Propensity (Anti-Static)	EN 1149-1
V	Smoke Density	ASTM E 662
VI	Sound Absorption	ASTM 423C



Recommended Installation :





6501 Grey




6502 Purple



6503 Blue



6504 Charcoal



6505 Coal Red



6506 Mustard



6507 Coal Blue



6508 Beige



6508 Beige



6504 Charcoal
6505 Coal Red



6506 Mustard



6507 Coal Blue
6504 Charcoal



6501 Grey
6502 Purple




6503 Blue
6507 Coal Blue

SPECIFICATIONS	ZEAL
CONSTRUCTION	Multi-level Scroll Loop
YARN TYPE	Nylon BCF
FIBRE COMPOSITION	100% Nylon (PA 6)
DYE METHOD	Solution Dyed
MACHINE GAUGE	1/12th
PILE HEIGHT (±0.5%)	2-4 mm
TUFTED PILE WEIGHT (±0.5%)	550 gsm
TOTAL THICKNESS (±0.5%)	08 mm
TOTAL WEIGHT (±0.5%)	Cushion - 3900 gsm
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	Cushion
TILE SIZE	25cm x 100cm
TILES PER BOX	20 pcs.
AREA PER BOX	05 sqm
b) Performance Specifications	
I Flamability	ASTM D 2859-06
II Colour Fastness	AATCC 16:3:2020
III Dimensional Stability	IS 2977:1989
IV Static Propensity (Anti-Static)	EN 1149-1
V Smoke Density	ASTM E 662
VI Sound Absorption	ASTM 423C

Zeal Nylon Carpet Planks are suitable for use across all commercial market including :

Healthcare • Offices • Education • Banks • Hospitality • Universities
Public Sector • Retail Sector • Multi Residential Apartments

Recommended Installation :



- Photos are showing only the design patterns.
- The color of the sample pasted is only showing part of the actual carpet planks.

CONTACT INFORMATION



Phone Number:
+91 7680075590




Email Address:
info@Luxlineco.com



Website:
www.Luxlineco.com



Location:
8-1-523/300, Brindavan Colony
Tolichowki, Hyderabad,
Telangana - 500008



LUX LINE CO

